



23 November 2001

Joan Kessner Bechtel-Hanford, Inc. 3190 Washington Way MSIN H9-03 Richland, WA 99352

Subject: Contract No. 630

**Analytical Data Package** 

Dear Ms. Kessner:

Enclosed are the hard copy analytical reports for the batch number/fraction indicated (marked X) in the following table:

LvLl Batch #	0111L258
SDG#	H1569/H1576
SAF#	B02-007
Date Received	11-2-01
# Samples	2
Matrix	Water
Volatiles	X
Semivolatiles	X
Pest/PCB	
DRO/GRO	
GC Scan	X
Metals	Χ
Inorganics	X

The electronic data deliverable (EDD) will be emailed shortly. If you have any questions, please don't hesitate to contact me at (610) 280-3012.

Sincerely,

ionville Laboratory Incorporated

Orlette S. Johnson Project Manager



**EDMC** 

r:\group\pm\orlette\tnu-hanford\data\bc\_itr.doc

# Lionville Laboratory, Inc. VOA ANALYTICAL DATA PACKAGE FOR TNU-HANFORD B02-007

DATE RECEIVED: 11/02/01

LVL LOT # :0111L258

CLIENT ID	LVL #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
B13C83	001	w	01LVX487	10/29/01	N/A	11/08/01
B13CT0	002		01LVX487	10/31/01	N/A	11/08/01
B13CT0	002 M	s w	01LVX487	10/31/01	N/A	11/08/01
B13CTO	002 M	SD W	01LVX487	10/31/01	N/A	11/08/01
LAB QC:						
VBLKJS	MBl	W	01LVX487	n/A	n/a	11/08/01
VBLKJS	MB1 B	s w	01LVX487	N/A	N/A	11/08/01





Client: TNU-HANFORD B02-007

LVL#: 0111L258

SDG/SAF #: H1569, H1576/B02-007

**W.O.** #: 11343-606-001-9999-00

**Date Received:** 11-02-2001

#### GC/MS VOLATILE

Two (2) water samples were collected on 10-29,31-2001.

The samples and their associated QC samples were analyzed according to criteria set forth in Lionville Laboratory OPs based on SW 846 Method 8260B for TCL Volatile target compounds on 11-08-2001.

The following is a summary of the QC results accompanying these sample results and a description of any problems encountered during their analyses:

- 1. The cooler temperature upon receipt has been recorded on the chain-of-custody.
- 2. Samples were analyzed within required holding time.
- 3. Non-target compounds were not detected in the samples.
- 4. All surrogate recoveries were within EPA QC limits.
- 5. All matrix spike recoveries were within EPA QC limits.
- 6. All blank spike recoveries were within EPA OC limits.
- 7. The method blanks contained the common laboratory contaminant Methylene Chloride at a level less than 2x the CRQL.
- 8. Internal standard area and retention time criteria were met.
- 9. A spectral search was performed for Decane; however, it was not detected in the samples.
- 10. "I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

9. Michael Taylor

President

Lionville Laboratory Incorporated

som\group\data\voa\tnu-hanford\0111-258.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 1 0 pages.

#### GLOSSARY OF VOA DATA

## **ABBREVIATIONS**

BS	=	Indicates blank spike in which reagent grade water is spiked with the CLP matrix spike solutions and carried through all the steps in the method. Spike recoveries are reported.
BSD	-	Indicates blank spike duplicate.
MS	*	Indicates matrix spike.
MSD	=	Indicates matrix spike duplicate.
DL	West.	Suffix added to sample number to indicate that results are from a diluted analysis.
NA	==	Not Applicable.
DF	-	Dilution Factor.
NR	-	Not Required.

Indicates Spiked Compound.



#### **GLOSSARY OF VOA DATA**

#### **DATA QUALIFIERS**

- U = Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- J = Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E = Indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D = Identifies all compounds identified in an analysis at a secondary dilution factor.
- i = interference.
- NQ = Result qualitatively confirmed but not able to quantify.
- N = Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- X = This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Y Additional qualifiers used as required are explained in the case narrative.



#### TECHNICAL FLAGS FOR MANUAL INTEGRATION

Manual quan modifications or integrations are performed routinely to improve the data quality for a variety of technical reasons. Documentation of these modifications should be clear and concise. The following "flags" are used to indicate the technical reasons for quan modifications:

- MP Missed Peak: manually added peak not found by automatic quan program.
- PA Peak Assignment: quan report was changed to reflect correct peak assignment.
- RI Routine Integration: routine integrations are performed for some analytes that are consistently integrated improperly by the automatic integration programs. Examples are the dichlorobenzene isomers on the VOA packed column and benzo(b)fluoranthene/benzo(k)fluoranthene which are poorly resolved on the BNA column.
- SP Split Peak: the automatic integration improperly split the peak; a manual integration was performed to get the correct area.
- CB Coelution/Background: peak was manually integrated to eliminate contribution from coeluting compounds, background signal, or other interference.
- PI Proper Integration: a peak with poor or inconsistent integration (e.g., excessive tail) was properly integrated manually.



5

### Lionville Laboratory, Inc. Volatiles by GC/MS, HSL List

Report Date: 11/12/01 12:23

Client: TNU-HANFORD B02-007 Work Order: 11343606001 Page: la RFW Batch Number: 0111L258

Cust	ID: <b>B13</b>	C83		B13CT(	)	B13CT(	0	B13CT	l	VBLKJS		VBLKJS BS	
Sample RF Information Matr		0 <b>01</b> 3R		002 Water	002 MS WATER	3	002 MSI WATER	)	01LV <b>X487-1</b> Water	Œ1	01LVX487-1 WATER	MB1	
		1.0	-	1.0		1.0		1.0	-	1.0	-	1.0	
Uni	ts: u	g/L		ug/I	٠	ug/I	_	ug/I	,	ug/I		ug/1	<u> </u>
Toluene				100	*	101	8	101	*	97	¥	99	*
Surrogate Bromofluorobenz		)	ક	94	ક્ષ	94	*	96	*	91	₹	98	*
Recovery 1,2-Dichloroethane	-d4 9'		*	95	¥	89	ક	92	8	99	ક	96	*
***********************	###==#####	===:	=f1=		=£1			********					
Chloromethane	<del></del>	LO	U	10	U	10	U	10	U	10	Ū	10	ũ
Bromomethane	<del></del> ;	LO	U	10	U	10	U	10	Ü	10	U	10	$\boldsymbol{\sigma}$
Vinyl Chloride	<u> </u>	10	บ	10	U	10	Ū	10	U	10	Ü	10	U
Chloroethane		LO	U	10	U	10	U	10	a	10	U	10	Ū
Methylene Chloride		6	В	7	В	7	В	8	В	9		8	В
Acetone		LO	U	10	U	10	U	10	Ū	10	U	10	U
Carbon Disulfide		5	U	5	Ū	5	Ū	5	U	5	Ü	5	U
1,1-Dichloroethene		5	U	5	U	85	¥	84	*	5	U	81	*
1,1-Dichloroethane		5	U	5	U	5	U	5	Ü	5	U	5	U
1,2-Dichloroethene (total)		5	U	5	Ū	5	U	5	U	5	U	5	U
Chloroform		5	U	5	Ü	5	U	5	U	5	Ū	5	U
1,2-Dichloroethane		5	U	5	U	5	U	5	IJ	5	Ū	5	U
2-Butanone		.0	U	10	Ū	10	U	10	Ü	10	Ū	1	J
1,1,1-Trichloroethane		5	U	5	U	5	ซ	5	U	5	U	5	U
Carbon Tetrachloride		5	บ	5	Ū	5	U	5	U	5	U	5	Ū
Bromodichloromethane		5	U	5	ប	5	Ū	5	U	5	Ū	5	บ
1,2-Dichloropropane		5	U	5	U	5	Ū	5	U	5	Ū	5	Ŭ
cis-1,3-Dichloropropene		5	U	5	U	5	Ū	5	ū	5	U	5	Ū
Trichloroethene	<del></del>	5	Ū	5	Ü	101	¥	101	*	2	J	95	*
Dibromochloromethane		5	U	5	U	5	U	5	Ū	5	Ŭ	5	U
1,1,2-Trichloroethane		5	Ū	5	Ū	5	U	5	U	5	U	5	Ū
Benzene		5	U	5	U	89	¥	92	*	5	ប	89	¥
Trans-1,3-Dichloropropene		5	Ū	5	ប	5	Ü	5	Ü	5	U	5	U
Bromoform		5	U	5	Ū	5	Ū	5	ប	5	U	5	Ū
4-Methyl-2-pentanone		0	U	10	U	10	U	10	Ū	10	U	10	Ū
2-Hexanone		0	U	10	U	10	U	10	Ū	10	U	10	U
Tetrachloroethene	- <del></del>	5	Ū	5	Ū	5	U	5	U	5	Ū	5	Ū
1,1,2,2-Tetrachloroethane		5	U	5	U	5	U	5	U	5	U	5	U
Toluene		5	U	5	ប	100	ł	99	*	5	U	94	*
*= Outside of EPA CLP QC limits	· ·												

RFW Batch Number: 0111L258	Client: TNU-	HAN	FORD B02-00	7	Work (	Orde	r: 11343608	5001	Page: 1h	2					
Cust ID	: B13C83	3	B13CT0	B13CT0 B13CT0				)	vblkjs	_	VBLKJS BS				
RFW#	: 001	L	002		002 MS	S	002 MSI	•	01LVX487-M	B1	01LVX487-	MB1			
Chlorobenzene	5	Ū	5	Ū	99		100	*	5	Ū	93	*			
Ethylbenzene	5	ប	5	U	5	U	5	Ū	5	U	5	U			
Styrene		U	5	U	5	Ū	5	U	5	ט	5	U			
<pre>Xylene (total) *= Outside of EPA CLP QC limits.</pre>	5	ប	5	ប	5	ប	5	U	5	U	5	ซ			

Lionville Laboratory Use Only

Custody Transfer Record/Lab Work Request Page of \_\_\_\_

2000	_ '
<b>47</b>	k/
T.	
C 11	LOSSON CARBATORY INC.

0416258

FIELD PERSONNEL: COMPLETE ONLY SHADED AREAS

									717	700						- <i>I</i>		<del>,                                    </del>	┯┈	<del>[ ],</del>			
Client ZZV	L H	AN FOW	Bo	2-00	7	Refr	gerator #		1	2				, <del>.</del>		2	ļ ·	2	2	2	3.		
Est. Final Pro	oi. Sam	oling Date				#TV	pe Container	Liquid	IAU	11				4	4.	I.K	-	120	1 No	IVO			
Project #	((3	43 - 606 -01	01-9999	7-00				Sold	1.2		- 00			# 14° - 10°				7 47 St	1999 (C.) 1907 (C.)			1 . VI	gargy) Taga
		no #		· · · · · · · · · · · · · · · · · · ·		Volu	mte.	Linud	40	1000	4	*	A 63	16.4	No. 30	4	40	Lis,	L.	<b>920</b> )			
Lionville Lab	oratory	Project Manag	yer	0				Bolid	7- 34			L.			3	1/22	-	there					
oc_SPEC		Del	TAT_	15	day	Pres	ervatives		161		ANIC				3. <u>(</u> 7.	INK VAII	ORG	1/02	7.0		3.3		
							LYSES		<b>4</b>			Q.	1			Metal		2003		Way			
Date Rec'd _	(1- 3	-01	Date Due	(1-	17-01	REG	UESTED		ş	AN AN	Pesst PCB	£				4	10	Mean .	06	, ' <b>&gt;</b>			
MATRIX					Matri						<del></del>	<del>, ↓</del>		Lionv	ille La	borat	ory Us	e Onl		<del>, •</del>	<del></del> -		
CODES:	Lab	c	illent ID/Desc	ription	QC Chos	en l	Date Date	Time Collected	0624×	25 ×	}		{			Ö	<u> </u>	1 3 m	40 G	ا م			
S - Soil SE - Sediment	J.D	, ,			(4)		Consciss	Conscer	13	290						Ac to	ł	33	7 4	ISFD		V	
SO - Solid SL - Studge					MS I		10.00	1	<b>↓</b>	10						<del>                                     </del>	<del> </del>						12 P
W - Water		B1309		<del></del>		<u>  W</u>		0640	1/2		<del> </del>	ļ				-	-		-		لبنيا		
A - Air DS - Drum	002	B13 CT	0			1=	ostal	1500	3	12		<del> </del>				-	<del> </del>	├-					
Solids DL - Drum	L	<u> </u>								1			ļ	,			}						
Liquids L - EP/TCLP			· · · ·								ļ				rrigi 1353			<del>{</del>			1 24 25 2 24 25		100
Leachate WI - Wipe	<u></u>	<u> </u>		<u> </u>				<b>1</b>	125	ļ							1	<u> </u>				1/2/1	
X - Other F - Fish											-	ļ					ļ					3.3	
	L									1				*								y	
{ {			<u> </u>						1	<u> </u>			ļ			ļ		<del> </del>					
																				(4.7			
	<u> </u>	<u> </u>				1			<u> </u>	<u> </u>								<u> </u>		15.07			4. 87. 8
Special Instruc	tions:				Ď.	ATEREVISION (1)	-	3. 111	7_ P	.2	Aa	B_	C. 1	K. V	<b>⊋</b> "				le Labe	retory	Use Or	nty	
					-			•			_							were:	or .		oper Reel Propersi		
				•	_	IC O	2. IECL					-				- ) <u>H</u>	and De	hrered		Pa	ckage (	(V) or	N
						1-5-01	_ 3	Canoel O	6247		494	0624	FH + C	JUES	<u> </u>	- 3	21/	Bel	公		Unbrok ckage (		
					_		_ 4	<del></del>								_ 2)	Ambie	nt or C	Mod )	3)	Present	on Sa	mple
			_		_		_ 5											ed in G					N
			^				_ 6									4)	Sample	B <b>S</b>		Sa	Unbrok mple (1	Oor 1	
Relinguished	4	Received	Date	Time	Relinquish		Received		ete	Tin		Diec	repancie	s Betw	reen	P1	орепу	Preserv o (Y)		CC	C Reco	and Pres	sent }
by	<del></del>	by A			COMPO		by (	RIGI				Sam	ples La Record	bels an	d			urW ber				(A) or	N
Fex Ex	_//	Henry	4/261	0935	WAST	LE		FWRI		•		NOT	E\$235	200 m	~ <b>U</b>	Н	olding 1	imes Y)o	r N		oler mp	•	, .•c
ı	,		1	1 1	1	1	H	> W-(	1 1 1	t Ni	1	7	マとうう	/334 A	545			$\sim$					

Bechtel Hanf	ord Inc.	C	HAIN OF CUS	TODY/S	AMPL	E ANAI	YSIS	REQUES	T	B	02-007-02	Page J	of 1
ollector Thomas, G/Watson, D			nany Contact arlock, CS	Telepho 372-9				Project Coord TRENT, SJ	instor	Price Code	25		urnaround
roject Designation 200 Area Source Characteri	zation 200-CS-1 OU - QC	Samplin 20	ding Location O East & West					8AF No. B02-007		ty 🗆	45 Day		
te Chest No. See	DOPC	Field	Logbook No. EZ-15	51	COA XL2002	HGR		Method of Shi Ped Ex	parent				7
hipped To	RECRA												
OSSIBLE SAMPLE HAZ Samples did not originate radiological controlled are	in a. No	4	Preservation	HCl or H18O4		1				7			
total activity associated wi sample/samples. Decial rikhoushg khovol	P	•	Type of Container	aCis*		1							
,			No. of Container(s)	1	{	}	1		}				7
			Volume	40mL									1
	Sample anai	Ysis		VOA-8268A (TCL); VOA- 8268A (Add- On) (1- Proponol, Bhanai)									
Sample No.	Matrix *	Sample Date	Sample Time										
3C83	WATER	10/29/01	2640	X		<b></b>	<u> </u>		ļ				
	<del> </del>	<del> </del>				<del> </del>	<del>[</del>	<del></del>	<del> </del>		-{		ļ
	<del></del>	<del></del>	<del></del>	<u></u>		<del> </del>	<del></del>		<del> </del>				<del> </del>
		<del></del>				<del> </del>	<del></del>			<del></del>	-{		<del></del>
CHAIN OF POSSESSION OF POSSESS	Date/Time ( 10-30-912)		372814-06 (d	ie/Time		he ERC admos	nessure pH violets the	within 24 hours of	ne will not	be aget for Nitrat	te using EPA meth	od 300.0.	Matrix *
painted By/Repayored From	15-10-0 15-10-0	Respired By/Store	14 10	e/Time	50	Samnlet	stored i	2 Ref.# [A	at the 3	-	-		SO-Golid Sirthings W = Water O-Oil A-Air DO-Dayen Indida IE-Drum Liquida
putshed Buddensoved From	Dete/Time 11/2/01 07:35	example 11-2-	e/Time	5	مستحب سادات	- Waaiiit	u n# 1/ 11 = 1	, ,,,, , , , , , , , , , , , , , , , , ,	emplet			Tellimen WileWips	
uished By/Removed From		e/Time		on III	عرز ا	allable to reli	ent.	RT 11-	1.01		1-Liquid V-Vegetation X-Odor		
uished By/Removed Prom	Date/Time	Received By/Store	d In Dete	Time	7								
BORATORY Received B	1	<del></del>		Title		<del></del>	<del></del>	<del>,</del>			Dut	o/Time	<b></b>
AL SAMPLE Disposal M	othod					· · · · ·							,

۲	
₹	_

Bechtel H	lanford Inc.		CE	LAIN OF CUST	CODY/S	AMPL	EANAL	YSIS	RE	EQUEST			Bo	2-007	-03	Page 1	of 1	
Collector Watson, D/Bowers Di	L	0		ny Cominci ovik, CS	Telephone No.  372-9638  Project Coordinator TRENT, SJ  Price Co								Code	7N		Data Tu	Data Turnaround	
Project Designation 200 Area Source Cha	ractorization 200-CS-1 OU - QC	Samplin 8		ng Location East & West						F No. 2-007	1	Lir Q	ualit	y 🗆		45	Days	
Ice Chest No.	E OSPC	I	Par L EL15	ogbook No. 551		COA B20C816	73C			thod of Sidge Fed Ex	nent							
Shipped Fo TMA/RECRA		0	)fisite	Property Na. AZ	り	ØØ			Bill	of Lading/A	ir Bin No	3	$Q_{\ell}$	1	/			
radiological controll total activity associa	PAZARDS/PEMARKS in the led area. No lited with			Preservation	HCl or H280 to pH <2 Coo		HNG3 to pH	H28041		Coal 4C	ZnAo+NaOl to pH >9 Co	H HDN	Oko pH			ر ۱۵		
sample/samples. Special Handling a	1.			Type of Container	a(35*	≱G	•6	*G		∌G	#G		67	A	†0°			
,				No. of Container(s)	3	2	1	1		1	1		2					
			]	Volume	40mL	1000mL	1000mL	1000a	nt i	1000mL	500mL	10	Mont	44	nL			
	Sample anal		VOA - \$260A (TCL); VOA - \$260A (Add- On) (i- Propensi, Ethanel)	Semi-VOA 2270A (Add- On) (Tributy) phosphate)	See items (1) in Special Instructions.	NC2/NC 353.1 Amenos 350.3	i;	See item (2) in Special Instructions.	Sulfides - 90	Giro. Giro	Ainhe:	VOA (TCIJ; 8260A Oju) Propo Edua	VDA - (A44- (J- moi,					
Sample No.	Mstrix *	Sample 1	Date	Sample Time														
B13CT0	WATER	10-31-	01	1500	X	X	X	X		X	X			X	-2)	10		
BHSCT1 DI	10-21-01					<del> </del>			{			+-		<del> </del>		<del></del>		
<del>                                     </del>						}			-			+-		<del> </del>	}		<del> </del>	
						<del> </del>											<del> </del> -	
CHAIN OF POS		Sign/ Received B	Priest 1				ial instr		_	hi 24 hans of a		-4					Matrix *	
Relinquished By/Removed F.	offine  offine  offine  offine  offine  offine	(1) K (2) K	ne BRC acknow ne laboratory is to P Metals - 6014 (ctals - 6014A (c P Anions - 300.0 Samples as Shipping l Collector	ledges the to report I (IA (Supertreo ) (Chlorid tored in Facility not ava	e 48-be Decend rtrace) se Add- de, Flus m Re- r ou_	hin 24 hours of some holding innous as a TIC if pre  (Arsenic, Baril-  (Arsenic, Bar	will not be sent in dete son, Cadmin n, Copper, I Nitrite, Phos t the 372 (1)	n met fo ctable q mo, Cho Vickol, sphate, S	pantitiet omian, l Vanadios	i. Lend, Sel m, Zinc}	enium,	Silver);	b-ball AS-ballment SC-bally SC-bally W-Water O-OH Arrie DS-Drove Salide DS-Drove Lipside To-Throne V-Water V-Water V-Water V-Waterland 30-Other					
Relinquished By/Removed From Date/Time Received By/Stored In							on //		] fo	er shipment		27	11-1-	01			}	
LABORATORY ROOSECTION	cived By	<del></del>			Tid	te	<del></del>								Dut	e/Time		
FINAL SAMPLE Disposition	posal Method			Dispos	ed By		<del></del>					Du	e/Time					

·· == +++ (4 0 ADO)